Figure 1


Cell-free system for capsid assembly
+ cellular extract (wheat germ extract)
+ energy mix
+ unlabeled amino acids
+ labeled amino acid
TRANSCRIPT
TRANSLATION
translated capsid protein
POST-TRANSLATIONAL EVENTS OF ASSEMBLY
assembled capsid
separate reaction products by velocity sedimentation


25
20
15
10
5
Amount of Gag
1.50
1.40
1.30
1.20
Density (g/cm3)
1 2 3 4 5 6 7 8 9 10
Fraction

Fig. 2A


25
20
15
10
5
Amount of Gag
1.50
1.40
1.30
1.20
Density (g/cm3)
1 2 3 4 5 6 7 8 9 10
Fraction

Fig. 2B



Fig. 3A



Fig. 3B



Fig. 3C

Figure 4



BEST AVAILABLE COPY

Figure 5


A
300
200
100
23c Immunoreactivity (arbitrary units)
60
120
180
chase time (min)
B
10 80
500
750
150
100
50
Amount of Radiolabeled Gag (arbitrary units)
10
20
30
40
Fraction Number
C
10 80
500
750
200
100
23c-Immunoreactivity (arbitrary units)
10
20
30
40
Fraction Number

Figure 6



BEST AVAILABLE COPY



Figure 7

BEST AVAILABLE COPY


a
NATIVE
DENAT
medium
IP: HP N HP N HP N HP N T T
RNase: - - + + - - + +
IB: HP
HP68
IB: Gag
p55
p24
b
NATIVE
DENAT
medium
IP: HP N HP N T T
IB: HP
HP68
IB: Gag
p55
c
NATIVE
Gag
p41
p46
vector
IP: HP N T HP N T HP N T HP N T
p55
p46
p41
d
NATIVE
DENAT
IP: HP N HP N T
IB: HP
HP68
IB: Gag
p55
p24

Figure 8



BEST AVAILABLE COPY

Figure 9

Figure 10

BEST AVAILABLE COPY



Figure 11



BEST AVAILABLE COPY

Figure 12



BEST AVAILABLE COPY

Figure 13



BEST AVAILABLE COPY

Figure 14


1.25 g/cm3
Amount of HCV core (arbitrary units)
25
20
15
10
5
0
1
2
3
4
5
6
7
8
9
10
Fraction Number

Figure 15



Figure 16


60C
Non-Immune
Co-Ip's of HCV Core. An antibody that recognizes 60C antigen co-immunoprecipitates radiolabeled HCV core protein indicating that 60-C protein is associated with HCV core chains in the cell-free system. Non-immune serum and other antisera fail to co-immunoprecipitate HCV core.
60C Protein
Irrelevant Host Protein
HCV Core Protein
60C Antibody
Non-Immune Serum

Figure 17



;ure 18



BEST AVAILABLE COPY

Figure 19

A





B



C





D





BEST AVAILABLE COPY

igure 20

A

Mouse TCP 1	*D*	*K*	*M*	*L*	*V*	*D*	*D*	*I*	*G*	*D*	*V*	*T*	*I*	*T*	*N*	*D*
TF 55	.	.	.	*F*	.	.	*S*	*L*	.	.	*I*	.	.	.	.	.
Yeast TCP 1	.	.	.	.	.	.	.	.	.	.	*F*	.	*V*	.	.	.

B

C



Figure 21



BEST AVAILABLE COPY

Figure 22

BEST AVAILABLE COPY



Figure 23

BEST AVAILABLE COPY



Figure 24

BEST AVAILABLE COPY



;ure 25


10S
100S
Fraction:
1 2 3 4 5 6 7 8 9 10
WT
DN42
DN68
% Assembly
100
80
60
40
20
0
WT
DN42
DN68